







EAS Source Tagging Solutions

Each of the **EAS Source Tagging Solutions** shown here represents a style of tag available in the product line and should be used as a reference for understanding the basic shape, minimum dimensions, and materials used in making each of the products. Upon ordering, all products* are customized to meet the color, size, and shape of the customer's specifications.

*PLEASE NOTE: Products listed with **A&H Numbers** have become standardized and are available without customization, exactly as they are listed in the description. These products remain a customizable item within the EAS Source Tagging Solution product line.





AM TECHNOLOGY SOLUTIONS

JEWELRY SOLUTIONS


PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Extended Hanger Display Card	EAS - EA01	.020" thickness plastic. EAS Sensormatic DR label hidden behind extended hanger. Custom colors, sizes, shapes, punches and laminates available. Minimum size of 2.0" x 2.15".
	Folded Jewelry Display Card	EAS - FJ01	.020" thickness vinyl. EAS Sensormatic DR label placed between folded material, secured by aggressive adhesive. Supplied custom printed or hot-stamped. Custom colors, sizes, and shapes available. Patent Pending
	One-Piece Ring Solution	A48-4	Secures ring in upright position for excellent merchandise presentation. Doesn't interfere with customer trying on product. Solution allows ring to rotate in card so ring can't be removed by breaking cable tie. Custom colors available.
	Ring Stick	EAS - RS01	4.125" x .75" x .25" molded plastic. Clear band is threaded through ring and secured on both sides of tab. Tab is then inserted and locked into mechanism within stick. Custom pre-printed labels or raised lettering with hotstamping available. Maximum label size 3.25" x .5625".

AM TECHNOLOGY SOLUTIONS

JEWELRY SOLUTIONS




PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Cardboard Tag (Center Hole)	A&H 1530	.090" thickness multi-layered board with embedded EAS Sensormatic DR label. Custom colors and configurations available. Supplied pre-printed or with labels. Center punch with zip tie or cable tie closure available. Minimum size of 2.25" x 0.75".
		EAS CC01	
	Cardboard Tag (Side Hole)	A&H 1531	.090" thickness multi-layered board with embedded EAS Sensormatic DR label. Custom colors and configurations available. Supplied pre-printed or with labels. End punch with zip tie or cable-tie closure available. Minimum size of 2.25" x 0.75".
		EAS CS01	
	Tri-Fold String Tag	A&H 1543	.010" thickness tear-resistant paper. EAS Sensormatic DR label placed between folded material, secured by aggressive adhesive. Supplied with soft elasticized string for attachment. Supplied pre-printed or with labels. Custom colors, sizes, and shapes available. Minimum size of 2.3" x 0.5". U.S. Patent #D542,851 S
		EAS TSO1	
	Tri-Fold String Tag (with Grommet)	A&H 1544	.010" thickness tear-resistant paper. EAS Sensormatic DR label placed between folded material, secured by aggressive adhesive, hole is reinforced with steel grommet. Suggested to be used with Locking Wire Fastener, EAS-WF01. Supplied pre-printed or with labels. Custom colors, sizes, and shapes available. Minimum size of 2.3" x 0.5". U.S. Patent #D542,851 S
		EAS TSO2	

SUNGLASS/EYEWEAR SOLUTIONS


PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Tear-Resistant Tag	A&H 1542	.010" thickness tear-resistant material. EAS Sensormatic DR label placed in .050" multi-layer board insert, secured by outer material with aggressive adhesive. Supplied pre-printed or with labels. Custom colors, sizes, and shapes available. Minimum size of 2.1" x 2.2" (folded).
		EAS TRO1	

AM TECHNOLOGY SOLUTIONS


RUGGED WEAR SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Cardboard Booklet Tag (Large)	EAS - CL01	.090" thickness multi-layered board with embedded EAS Sensormatic DR label. Hole reinforced with steel grommet. Custom printing and configurations available. Suggested to be used with Locking Wire Fastener, EAS-WF01 . Approximate size 2.5" x 3.375".
	Molded Cable Tag	A&H 1470 A&H 1470 B A&H 1470 I	.150" thickness molded plastic with embedded EAS Sensormatic DR label. Custom colors and configurations available. Pre-printed labels available. Available with zip tie or cable tie closure. Minimum size of 2.25" x 0.62".
		EAS MC01	
	Looking Wire Fastener available with monofilament or wire	EAS - WF01	.1875" w x .375" L molded plastic, 21-gauge poly-coated, braided, stainless steel wire security fastener.

APPAREL SOLUTIONS





PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Sew-In Tag	EAS - ST02	2.5"w x .75"l x .125"d white fabric sleeve with EAS Sensormatic DR label enclosed. Custom sizes, shapes, colors and printings available.

BOX SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Pilfer Proof Sleeve	EAS - PS01	Clear vinyl sleeve for protecting boxed goods at retail. Two specially designed 'wings' tuck between walls of box and jewelry insert. Sleeve is then secured on outside of box by a high-tack adhesive strip. Available with or without rack-hole tab for hanging. Custom fitted to most any box size or shape. Available in a variety of plastic thicknesses for appropriate functionality and durability. U.S. Patent #7,243,8000 B1





AM TECHNOLOGY SOLUTIONS

FASHION LOCKING LOOP SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Self Locking Tag (Noose)	EAS - CL01 EAS SLO1	.090" thickness multi-layered board with embedded EAS Sensormatic DR label. Hole reinforced with steel grommet. Custom printing and configurations available. Suggested to be used with Locking Wire Fastener, EAS-WF01 . Approximate size 2.5" x 3.375".
	Continuous Loop Self Locking Tag	A&H 1528 A&H 1529 EAS SLO2	.150" thickness molded plastic with embedded EAS Sensormatic DR label. Custom colors and configurations available. Pre-printed labels available. Available with zip tie or cable tie closure. Minimum size of 2.25" x 0.62".
	Swivel Tag (Vertical) available with monofilament or wire	A&H 1510B A&H 1510W	.1875" w x .375" L molded plastic, 21-gauge poly-coated, braided, stainless steel wire security fastener.
	Swivel Tag (Horizontal)	A&H 4201B A&H 4201W	.1875" w x .375" L molded plastic, 21-gauge poly-coated, braided, stainless steel wire security fastener.








AM TECHNOLOGY SOLUTIONS

FOAM TAG SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Large Adhesive Foam Tag	EAS - AF02	.050" thickness adhesive flexible foam with embedded EAS Sensormatic DR label. Custom colors and configurations available. Custom pre-printed labels available. Minimum size of 2.85" x 2.6".
	Small Adhesive Foam Tag	EAS - AF03	.050" thickness adhesive flexible foam with embedded EAS Sensormatic DR label. Custom colors and configurations available. Custom pre-printed labels available. Minimum size of 1.5" x 2.55".
	Adhesive Foam Tag	EAS - AF01	.050" thickness adhesive foam with embedded EAS Sensormatic DR label. Custom colors and configurations available. Minimum size of 2.35" x 1.2".
	Adhesive Foam Booklet Tag	EAS - AF04	.120" thickness adhesive flexible foam with embedded EAS Sensormatic DR label with attached customized printed booklet. Custom colors and configurations available. Minimum size of 1.5" x 2.55".








AM TECHNOLOGY SOLUTIONS

INDUSTRIAL SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Clamshell Tag	A&H4215	Made from durable reinforced tamper proof plastic, secures to any tubing, wire, cable or belt. Easily snaps close for hassle-free application. Custom colors, sizes and shapes available.
	Solder Cap	A&H4214	Made from durable reinforced tamper proof plastic and made to custom fit any solder spool. This solution is ideal for automated application. Custom color and preprinted labels available for an excellent branding opportunity.
	Hammer Solution	A26 - 1	Made from durable reinforced tamper proof plastic, secures to any I-beam style hammer. Can be designed to also protect wooden and fiberglass hammers. Special design holds EAS label away from the metal content of product to ensure proper function. Easily snaps close for hassle-free application. Custom colors, sizes and shapes available.
	Star Washer Size 1	A&H4210	Made from durable tamper-proof plastic, this solution is offered in multiple sizes to fit most plumbing fixtures (faucets/fittings/valves). Design holds EAS label away from the metal content of product to ensure proper function. Custom colors available.
	Star Washer Size 2	A&H4211	Made from durable tamper-proof plastic, this solution is offered in multiple sizes to fit most plumbing fixtures (faucets/fittings/valves). Design holds EAS label away from the metal content of product to ensure proper function. Custom colors available.
	Star Washer Size 3	A&H4212	Made from durable tamper-proof plastic, this solution is offered in multiple sizes to fit most plumbing fixtures (faucets/fittings/valves). Design holds EAS label away from the metal content of product to ensure proper function. Custom colors available.
	Hard Wire Tag	A&H4216 kit	Made from hard tamper-proof plastic, the hard wire can be custom to any shape needed to protect the product. Easily snaps close for hassle-free application. Custom colors, sizes and shapes available.





AM TECHNOLOGY SOLUTIONS

INDUSTRIAL SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Hard Wire Tag	A&H4217 kit	Made from hard tamper-proof plastic, the hard wire can be custom to any shape needed to protect the product. Easily snaps close for hassle-free application. Custom colors, sizes and shapes available.
	Hard Wire Tag	A&H4218 kit	Made from hard tamper-proof plastic, the hard wire can be custom to any shape needed to protect the product. Easily snaps close for hassle-free application. Custom colors, sizes and shapes available.
	Industrial Saw Blade Tag	EAS - SB01	Assembled size is 5.75" x 5.5" x .25". Molded plastic snap-together header encloses Sensormatic DR label. High-density clear vinyl strap threads through hole in saw blade and locks back into tag header. Header is snapped closed. Custom colors available. Custom pre-printed labels available.
	Industrial Loop Tag	A&H4214	.75"w x 2.0"l x .3"d made from hard tamper-proof plastic with 1.5mm poly-coated, braided, stainless steel wire. Same end or opposite end self locking mechanism, with pull strength exceeding 80 pounds. Available in any custom color or wire length.
	Industrial Swivel Tag		2.145"l x .701"d made from hard tamper-proof plastic with 1.5mm poly-coated, braided, stainless steel wire. Same end self locking mechanism with pull strength exceeding 80 pounds. Custom pre-printed labels and colors available.
	Locking Wrap Tag (with sensor)	EAS - LW01	1.625"w x 1.625"l x .25"d molded plastic with embedded EAS Sensormatic DR label. Custom colors and configurations available. Customized pre-printed labels available. Maximum label size 1.5"x 1.5" square.
	Locking Wrap Tag (without sensor)	EAS - LW02	1.625"w x 1.625"l x .25"d molded plastic. Custom colors and configurations available. Customized pre-printed labels available. Maximum label size 1.5" x 1.5" square.






AM TECHNOLOGY SOLUTIONS

RF TECHNOLOGY SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	J-Stock Display Card (Circuit Bottom)	EAS - CK01	.020" thickness plastic. Adhesive RF label secured to back lower portion of card. Custom colors, sizes, shapes, and laminates available. Also available with a variety of punches.
	Hang Card	EAS - CK03	RF label hidden between layers of tear-resistant paper. Attached to product using locking swift-tach. Custom colors, sizes, and shapes available. Minimum size 1.75" w x 2.75" L.
	Necklace Foldover Card	EAS - CK04	RF label hidden between layers of board or vinyl. Custom colors, sizes, and shapes available. Minimum finished size 2.25" x 2.25" .
	Tear-Resistant Sunglass Tag	EAS - CK05	RF label hidden between layers of tear-resistant paper. Applied to product by removing adhesive liner, folding 'tail' around product, and securing between folded panels. Custom colors, sizes, and shapes available. Minimum finished size 2.25" x 2.25" .

AM TECHNOLOGY SOLUTIONS

RF TECHNOLOGY SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	Sew-In Tag	EAS - ST01	1.6875" w x 2.375" x .0312"d fabric sleeve with RF label enclosed. Custom sizes, shapes, colors and printings available.
	Swivel Tag (paddle)	EAS - SW05	1.4375"w x 2"l x .375"d molded plastic with embedded RF label and 21-gauge poly-coated, braided, stainless steel wire. Custom colors and configurations available. Custom pre-printed labels or raised lettering with hotstamping available. Maximum label size 1.3125" x 1.25".
	RF Cardboard Booklet Tag (Large)	EAS - CL02	.090" thickness multi-layered board with embedded EAS Sensormatic RF label. Hole reinforced with steel grommet. Custom printing and configurations available. Suggested to be used with Locking Wire Fastener, EAS-WF01 . Approximate size 2.5" x 3.375".
	Tear-Resistant Sunglass Tag (barbell)	EAS - CK06	
	RF Hang Tag	EAS - CK07	

AM TECHNOLOGY SOLUTIONS

NON-CURCUIT SOLUTIONS

PRODUCT	PRODUCT NAME	ITEM #	PRODUCT DESCRIPTION
	<p>Locking Wire Fastener</p>	<p>EAS - WF01</p>	<p>.1875" w x .375" L molded plastic, 21-gauge poly-coated, braided, stainless steel wire security fastener.</p>
	<p>Pilfer Proof Sleeve</p>	<p>EAS - PS01</p>	<p>Clear vinyl sleeve for protecting boxed goods at retail. Two specially designed 'wings' tuck between walls of box and jewelry insert. Sleeve is then secured on outside of box by a high-tack adhesive strip. Available with or without rack-hole tab for hanging. Custom fitted to most any box size or shape. Available in a variety of plastic thicknesses for appropriate functionality and durability.</p> <p style="text-align: right;">U.S. Patent #7,243,8000 B1</p>



US – Global Headquarters

A&H Worldwide
1 Carding Lane
Johnston, RI 02919
401.943.5040
www.aandhworldwide.com
email: sales@aandhworldwide.com